Performance Assessment Task
Fair Game?
Grade 7
This task challenges a student to use understanding of probabilities to represent the sample space for

This task challenges a student to use understanding of probabilities to represent the sample space for simple and compound events. A student must use information about probabilities to estimate probability of future events and construct an argument about the fairness of a game.

Common Core State Standards Math - Content Standards

Statistics and Probability

Investigate chance processes and develop, use, and evaluate probability models.

7.SP.5 Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicates greater likelihood. A probability near 0 indicates an unlikely event, a probability around ½ indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.

7.SP.6 Approximate the probability of a chance event by collecting data on the chance process that produces it observing its long-run relative frequency, and predict the approximate relative frequency given the probability. *For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times,*

7.SP.7 Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies. If the agreement is not good, explain possible sources of discrepancy.

b. Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process. *For example, find the approximate probability that a spinning penny will land heads up or that a tossed paper cup will land open-end down. Do the outcomes for the spinning penny appear to be equally likely based on the observed frequencies?*

7.SP.8 Find probabilities of compound events using organized lists, tables, tree diagrams and simulation.

- a. Understand that, just as with simple events, the probability of a compound event is the fraction of outcomes in the sample space for which the compound event occurs.
- b. Represent sample spaces for compound events using methods such as organized lists, tables, and tree diagrams. For an event described in everyday language (e.g., "rolling double sixes"), identify the outcomes in the sample space, which compose the event.

Common Core State Standards Math – Standards of Mathematical Practice MP.3 Construct viable arguments and critique the reasoning of others.

Mathematically proficient students understand and use stated assumptions, definitions, and previously established results in constructing arguments. They make conjectures and build a logical progression of statements to explore the truth of their conjectures. They are able to analyze situations by breaking them into cases, and can recognize and use counterexamples. They justify their conclusions, communicate them to others, and respond to the arguments of others. They reason inductively about data, making plausible arguments that take into account the context from which the data arose. Mathematically proficient students are also able to compare the effectiveness of two plausible arguments, distinguish correct logic or reasoning from that which is flawed, and – if there is a flaw in an argument – explain what it is. Elementary students can construct arguments using concrete referents such as objects, drawings, diagrams, and actions. Such arguments can make sense and be correct, even though they are not generalized or made formal until later grades. Later, students learn to determine domains to which an argument applies. Students at all grades can listen or read the arguments of others, decide whether they make sense, and ask useful questions to clarify or improve the arguments.

MP.4 Model with mathematics.

Mathematically proficient students can apply the mathematics they know to solve problems arising in everyday life, society, and the workplace. In early grades this might be as simple as writing an addition equation to describe a situation. In middle grades, a student might apply proportional reasoning to plan a school event or analyze a problem in the community. By high school, a student might use geometry to solve a design problem or use a function to describe how one quantity of interest depends on another. Mathematically proficient students who can apply what they know are comfortable making assumptions and approximations to simplify a complicated situation, realizing that these may need revision later. They are able to identify important quantities in a practical situation and map their relationships using such tools as diagrams, two-way tables, graphs, flowcharts, and formulas. They can analyze those relationships mathematically to draw conclusions. They routinely interpret their mathematical results in the context of the situation and reflect on whether the results make sense, possibly improving the model if it has not served its purpose.

Assessment Results

This task was developed by the Mathematics Assessment Resource Service and administered as part of a national, normed math assessment. For comparison purposes, teachers may be interested in the results of the national assessment, including the total points possible for the task, the number of core points, and the percent of students that scored at standard on the task. Related materials, including the scoring rubric, student work, and discussions of student understandings and misconceptions on the task, are included in the task packet.

Grade Level	Year	Total Points	Core Points	% At Standard
7	2003	8	4	32%

Fair Game?

This problem gives you the chance to: • use probability to judge the fairness of a game

Chris and Jack are playing a board game with a fair coin and a fair number cube numbered 1 to 6.



They take turns tossing the coin and the number cube.

Then they figure out the score.

If the coin lands on heads, the score is twice the number on the number cube. If the coin lands on tails, the score is two more than the number on the number cube.

1. Complete this table of possible scores.

Kar	LSI

Number	on	the	number	cube

		1	2	3	4	5	6
Coin	Heads	2	4	6			
com	Tails	3	4	5			

2. If the score is a prime number, Chris moves two squares on the board.

If the score is not a prime number, Jack moves one square on the board.

What is the probability of getting a score that is a prime number? Show your work.

Published by CTB/McGraw-Hill LLC. Copyright © 2003 by Mathematics Assessment Resource Service. All rights reserved.

Page 6

Fair Game? Test 7: Form A

3. Chris and Jack play a game in which there are 12 trials.	
How many squares would you expect Chris to move?	
How many squares would you expect Jack to move?	
4. Is this game fair? Explain your answer.	

Page 7

Fair Game? Test 7: Form A

8

Fair Game? Test 7 Form	n A Ru	bric
The core elements of performance required by this task are: • use probability to judge the fairness of a game Based on these, credit for specific aspects of performance should be assigned as follows:	Points	Section Points
1. Correctly completes the table:		
Number on the number cube		
1 2 3 4 5 6		
Coin Heads 2 4 6 8 10 12 Tails 3 4 5 6 7 8		
Allow 1 point for each 2 correct values.	3×1	3
2. Gives a correct answer as:		
$\frac{4}{12}$	1	
Shows that there are 12 possible scores, only 2, 3, 5, 7 are prime.	1	
Accept $\frac{4}{12}$ for work.		2
3. Gives correct answers as:		
Chris moves 8 squares.	1	
Jack moves 8 squares.	1	2
4. Gives correct answer as:		
Yes, the game is fair.		
and Explains that in the long term, both players move the same number of squares.	1	1
Total Points		8

Published by CTB/McGraw-Hit1LLC. Copyright © 2003 by Mathematics Assessment Resource Service. All rights reserved.

Page 4

Fair Game

California State Standards and Textbooks expect mastery of probability in 6th grade and retention of those skills to last until the high school exit exam. However, results show that many students need more than one year to learn this concept.

Student A shows a nice job of listing all the outcomes in the sample space and clearly defining the prime numbers in part 2. Student A also shows facility with multiplying fractions and applying the rules of the game in part 3. The student does a good job of explaining the relationship between the rules for spaces moved and the differing probabilities to make the game fair.

Student A

Show your work.

F-(H,2)

4)

 Ω

Complete this table of possible scores.

b-(₹,

ρ.,





1 DUMS

12 total

If the score is not a prime number, lack moves one square on the board.

What is the probability of getting a score that is a prime number?



Pehasani as (TBM)/Cena-Mit LLC Copyright C 3073 Game? Test 7: Form Pane 6 3. Chris and Jack play a game in which there are 12 trials. $\frac{3}{2} + \frac{12}{12} + \frac{3}{12}$ How many squares would you expect Chris to move? mbass Yhove How many squares would you expect Jack to move? $12\sqrt{96}$ $\frac{12}{12}$ $\frac{12}{12}$ $\frac{12}{12}$ $\frac{12}{12}$ $\frac{12}{12}$ 4. Is this game fair? Explain your answer. tour ١S. là trials, D-H The GAME provine in move Chris though chance olaees not prime numbu the game ነጓሙሮ ംഡം.ടെ. That

Seventh Grade - 2003

pg. 51

Student B also demonstrates a complete knowledge of probability. The only error in her thinking is to forget that 2 is a prime number in part 2 of the task. This error in finding probability affects further calculations.

Student B

Number on the number cube								
		1	2	3	4	. 5	, 6)	
Coin	Heads	Ż	4	6	8	Įιŏ	Y2/	
	Tails	ż	4	5	G	7	8	
					1			

Ż

2. If the score is a prime number, Chris moves two squares on the board.

If the score is not a prime number, Jack moves one square on the board.

What is the probability of getting a score that is a prime number? Show your work.

3. Chris and Jack play a game in which there are 12 trials.

How many squares would you expect Chris to move?

How many squares would you expect Jack to move?

4. Is this game fair? Explain your answer.

not because there are only 3 prime numbers and nine not prime numbers and so even though Chris moves 2 Squares on a prime, offer 12 turns he will be behind 359 vares and after 24, he'll be behind 639 vares alt coon-

pg. 52

More than 1/3 of the students looked at only the numbers on the number cube when calculating probabilities instead of the outcomes. Depending on whether they included 2 as a prime number their probabilities were either 50% or 4/6. Few of these students related their incorrect probabilities to the rules of the game and calculations for Chris and Jack in part 3 of the task. See the work of Student C.

Student C

1. Complete this table of possible scores.



2. If the score is a prime number, Chris moves two squares on the board.

If the score is not a prime number, Jack moves one square on the board.

What is the probability of getting a score that is a prime number? Show your work. 13524b

$$3 \text{ out of } 6 = \frac{1}{2}$$

3. Chris and Jack play a game in which there are 12 trials.

How many squares would you expect Chris to move?

---- How many squares would you expect Jack to move?

4. Is this game fair? Explain your answer.

Beause each one of them move on equal amount of staces so their for the same is Fair

Teacher Notes:



Score:	0	1	2	3	4	5	6	7	8
% < =	9.6%	12.9%	14.4%	67.6%	80.1%	86.8%	92.0%	93.6%	100.0%
% > =	100.0%	90.4%	87.1%	85.6%	32.4%	19.9%	19.9%	8.0%	6.4%

The maximum score available for this task is 8 points. The cut score for a level 3 response is 4 points.

Many students (about 85%) could apply the two different rules to fill out the table of outcomes. Less than 20% could find the number of primes and correctly calculate the probability for getting a prime. Less than 10% of the students could meet all the demands of the task. 10% of the students scored no points on this task. 5% of the students appeared to have run out of time, because there is no work on task 4 or task 5.

Fair Game?

Points	Understandings	Misunderstandings					
0	About half the students with	Students with this score did not read					
	this score attempted the	the rules carefully for getting heads					
	problem. The other half	and tails. Many just made a pattern of					
	appear to have run out of	even numbers and odd numbers or					
	time.	going up one every time.					
1	Students could get the table	Students did not understand the rules					
	right for heads.	for changing the number of the cube					
		is a tails was tossed.					
3	Students could fill out the	About 22% of the students calculated					
	table correctly.	the probability of based on the					
		numbers on the cube instead of the numbers in the table. Most also forgot that 2 was a prime number, so their probability was 1/2 or 50%. Another 14% used the table but forgot to count 2 as a prime number and therefore had 1/4 or 3/12 as their					
		probability 14% of the students wrote					
		probabilities as whole numbers					
1	Students could fill out the table	and explain why the game is fair in					
-	part 4.						
5	Students could fill out the	Students could not use their					
C	table and show correct	probabilities (right or wrong) to find					
	thinking for finding the	theoretical probabilities and then					
	probability in part 2.	correctly apply the rules for moving					
		to determine the outcome of the					
		game. There was not a consistent					
		pattern for these errors. In some cases					
		the students just added two to one					
		persons score, doubled both scores,					
		thought the total moves should be 12,					
		or other strategies.					
8	Students could fill out the table	using different rules for heads and					
	tails, find the probability of gett	ing a prime number, and find the					
	theoretical probability of each s	tudent moving in 12 turns and apply					
	the different rules for their mov	ement. Students could clearly explain					
	why the game was fair even tho	bugh the 2 players had different					
	probabilities for getting to move.						

Based on teacher observations, this is what seventh grade students seemed to know and be able to do:

• Follow rules to fill out a table

Areas of difficulty for seventh graders, seventh grade students struggled with:

- Identifying 2 as a prime number
- Calculating probabilities from a given set of outcomes or recognizing the difference between the random number generators and the outcomes (*many students thought things were 50-50 because there are two sides on a coin or three of the 6 numbers on the cube are prime*)
- Using probability to find expected outcomes in a game situation. Giving a good mathematical argument for why a game is fair combining probabilities and rules of the game

Questions for Reflection on Fair Game?

Look carefully at student work, how many of your students could: Fill out the table?

How many gave the probability in part 2 as:

1/3	1/5	1/4	4/6	Whole numbers	Other?

Did your students have trouble multiplying the fractions to find the expected moves in part 3? Did they apply the rules for how students moved correctly?

What kind of program does your school have in place for students who do not master probability as 6th graders? Have you discussed this issue at department meetings? Do other teachers know the importance of this topic on the high school exit exam?

What types of probability activities have students had this year? What are some of your favorite activities that might help students who are still struggling with probability?

Teacher Notes:

Instructional Implications:

Students need more experiences with games and probability. Students do not know how to combine two events, like tossing a coin and a number cube, to find the probability. They confuse the random number generators with the outcomes. While students can complete tables showing what is possible, they have difficulty determining how to answer questions based on that table. When it is possible to move a different number of spaces for each player, they don't know how to use that information to determine who has a better chance of winning. Students do not understand that probability or expected outcomes are determined by a large number of events. To compare whether a game is fair, the outcomes of several games needs to be considered. Students also needed to know mathematical vocabulary like prime number, fair, and trial to work this problem successfully.

Teacher Notes: